



**SUMMARY TEST DATA  
ON  
FILTER**

<b>Customer :</b>		<b>Tested By :</b>	<b><u>S. PALACIO</u></b>
<b>SO No :</b>	<b><u>SO11-077-P</u></b>	<b>Temperature :</b>	<b><u>+25°C</u></b>
<b>Model No :</b>	<b><u>7CL1340-155-CD-NFF</u></b>	<b>Date :</b>	<b><u>06/22/11</u></b>
<b>Serial No :</b>	<b><u>PL9129/1125</u></b>		

TEST ITEM NO.	PARAMETERS	SPECIFIED VALUE	MEASURED VALUE	QA/QC
1	Pass band Fo:	1340 MHz	See plots	
2	3 dB Pass band Bandwidth:	155 MHz	See plots	
3	Fo. Insertion Loss:	0.5 dB Max	See plots	
4	Rejection	80 dB, DC to 930 MHz	See plots	
5	Rejection	80 dB 1750 MHz – 4500 MHz	See plots	
6	Pass band VSWR	1.5:1 Max	See plots	


Production Manager Approval: \_\_\_\_\_ Date: \_\_\_\_\_

QA/QC Approval: \_\_\_\_\_ Date: \_\_\_\_\_

**PLANAR MONOLITHICS INDUSTRIES, INC.**  
7311-F GROVE ROAD FREDERICK, MD 21704  
TEL: 301-682-5019 FAX: 301-662-1731  
www.pmi-rf.com



**PL9129/1125**



**PLANAR MONOLITHICS INDUSTRIES, INC.**

7311-F GROVE ROAD FREDERICK, MD 21704

TEL: 301-682-5019 FAX: 301-662-1731

www.pmi-rf.com