



**SUMMARY TEST DATA
ON AMPLIFIER**

Customer :
 Job No : 09164-A
 Model No : POB-16-48-22-LCA
 Serial No : PL6276

Tested By : Hugo Gonzales
 Temperature : +25°C
 Date : 10/09/09

TEST ITEM NO.	PARAMETERS	SPECIFIED VALUE	MEASURED VALUE	REMARKS QA/QC
1	Frequency Range:	4.0-8.0 GHz	4.0-8.0 GHz	
2	Gain:	+16dB Typ.	Pass (See Plot)	
3	Gain Flatness:	± 1.0dB Typ.	± 0.17dB	
4	VSWR:	Input : 2.0:1 Output: 2.0:1 (Typ.)	Pass (See Plot)	
5	Noise Figure:	3.0dB Typ.	Pass (See Plot)	
6	OP1dB:	22dBm Typ.	22dBm	
7	DC Supply:	180mA@ +12V Typ.	221mA@ +12V	


Production Manager Approval: _____ Date: _____

QA/QC Approval: _____ Date: _____

7311-F Grove Road, Frederick, MD 21704 USA Phone: (301)662-5019 Fax: (301)662-1731
 email: sales@pmi-rf.com




Swept S-Parameter Plot



7311-F Grove Road, Frederick, MD 21704 USA Phone: (301)662-5019 Fax: (301)662-1731
email: sales@pmi-rf.com



Noise Figure Plot



7311-F Grove Road, Frederick, MD 21704 USA Phone: (301)662-5019 Fax: (301)662-1731
email: sales@pmi-rf.com